

Midea

make yourself at home

AIR CONDITIONER REIMAGINED, AI CONDITIONER



I'm Midea cool.

EXPERIENCE EXCELLENCE WITH MIDEA THE FUTURE OF AIR CONDITIONING

Midea's range of air conditioners combines cutting-edge technology, unmatched energy efficiency, and exceptional performance to provide comfort tailored for the Indian climate. Designed with advanced engineering, these state-of-the-art systems ensure optimal cooling while reducing energy consumption, helping you save on utility bills. Midea goes further with AI-powered features like geo-fencing, Wi-Fi voice control, energy management and CRM, offering you enhanced convenience and smarter climate management. With over a decade of innovation and more than 1 lakh patents globally, Midea stands for reliability and trust. Supported by a robust local service network, we ensure peace of mind and a seamless experience. Choose Midea - where global expertise meets local needs.






FORTUNE[®] GLOBAL 500

2024

Midea Group has ranked #277 in the 2024 Fortune Global 500 list. This is the 9th consecutive year we have featured in the Fortune Global 500 list! Proof of our commitment to quality, design, technology, innovation and sustainability.





MIDEA'S GLOBAL PRESENCE

- 34 Production Centers
- 28 Innovation Centers
- 1,66,000+ Employees

OPERATING IN 194 COUNTRIES




THE NEW DAWN OF WORLD-CLASS TECHNOLOGY

Midea is bringing the best in world-class technology with advanced AI-driven features. Our air conditioners adapt intelligently to user preferences, optimizing comfort, energy efficiency, and performance. In fact, our innovative solutions not only respond to current demands but also anticipate future needs, positioning Midea at the forefront of smart home climate technology. Our intelligent features will let users map their energy usage efficiently. Making our air conditioners lighter on the pocket and the planet.


AI-DRIVEN COMFORT, PERFECTLY TUNED FOR YOU

Experience the intelligence of AI with the Midea Wi-Fi (V-2) CMI app. Automatically adjust your air conditioner's performance based on your location using geo-fencing, optimize energy usage, and personalize comfort settings with just your phone. Let AI make your life smarter, cooler, and more efficient.

Wi-Fi-(AI⁺) V2




- Geo-Fencing
- Energy Management
- CRM



Scan the QR code to
download the app



Wi-Fi CMI V1



Scan the QR code to
download the app




SANTIS PRO-X RYL Wi-Fi



5 STAR INVERTER AC
Available in 1.0 TR & 1.5 TR
Category

Experience AI-powered cooling with SANTIS PRO-X RYL. Advanced geo-fencing, location-based adjustments, and AI+ technology optimize cooling to suit your needs. Now, enjoy unmatched comfort and efficiency like never before.




Gear Control 6-in-1

Adjust cooling and power settings effortlessly for personalized comfort and energy savings.




Wi-Fi 2.0 (AI+)

AI-powered WiFi AC adjusts cooling smartly, features geo-fencing for auto-adjustment within a set range, and offers app-based CRM support.



D-LED Dynamic

Adds a modern touch while improving operational visibility.



4-Way Swing

Ensures uniform cooling by distributing air in all directions left, right, up, and down.



Blue Fin Coating



Top Filter-Easy Clean



3D Cooling



Air Flow 715*



Follow Me



High Ambient Working



Auto-on/off Timer



Easy Installation Bracket



Stabilizer Free Even At 48°C



PM 2.5 Filter



MAI12SP5R35W0



MAI20SP5R35W0

TONNAGE CATEGORY		1.0 TR	1.5 TR
Performance	Maximum Cooling Capacity Range (W)	4080	5760
	Rated Capacity - Full/Half (W) Load	3500/1750	5230/2615
	Annual Power Consumption	536.2	789.6
	ISEER Value (W/W)	5.05	5.13
	Valve Size (Inch)	1/2" x 1/4"	1/2" x 1/4"



www.carriermideaindia.com



Service Helpline: 1800 419 3333



Carrier Midea India



mideacare@carriermidea.com



www.facebook.com/mideaindia



midea.hvac


T&C apply. Air flow 715 is for 1.5 TR only.

SANTIS PRO-X DLX




3 STAR INVERTER AC
Available in 1.1, 1.5 & 2 TR
Category

Enjoy superior cooling at every corner of your home with 4-Way Swing and 3D Cooling. In fact, the Dynamic LEDs elevate the aesthetics of your home decor and lets you track the energy consumption across various modes.




Gear Control 6-in-1

Customize both AC cooling and energy consumption to your preference.




4-Way Swing

Ensures uniform cooling by distributing air in all directions left, right, up, and down.



Dynamic LED

A vibrant, dynamic LED panel for intuitive cooling performance updates and enhanced aesthetics.



kW Display

Displays real-time energy consumption for smarter and efficient energy use.



High Ambient Working



Top Filter-Easy Clean



Refrigerant Leakage Detector



Auto Restart



Follow Me



Easy Installation Bracket



Auto-on/off Timer



Backlit Remote



Stabilizer Free Even At 48°C



	TONNAGE CATEGORY	1.1 TR	1.5 TR	2.0 TR
Performance	Maximum Cooling Capacity Range (W)	4180	5760	6900
	Rated Capacity - Full/Half (W) Load	3630/1815	5050/2525	6300/3150
	Annual Power Consumption	721.14	999.69	1249.82
	ISEER Value (W/W)	3.9	3.91	3.9
	Valve Size (Inch)	3/8" x 1/4"	1/2" x 1/4"	5/8" x 1/4"



www.carriermideaIndia.com



Service Helpline: 1800 419 3333



Carrier Midea India



mideacare@carriermidea.com



www.facebook.com/mideaIndia




midea.hvac

SANTIS NEO DLX/RYL



3 & 5 STAR INVERTER AC
Available in 3 star - 1.0, 1.5 & 2.0 TR
5 star - 2.0 TR
Category

Experience clean and healthy cooling without worrying about efficiency and maintenance. With smart home integration, cooling your home is so effortless with SANTIS NEO DLX/RYL.



Wi-Fi 1.0*

Always stay connected to your AC with Google Home, Siri and Alexa.



PM 2.5 Filter

Equipped with a PM 2.5 and HD Filter that removes microparticles and dust, ensuring fresh, clean air in your home.



Gear Control 4-in-1

Customize both AC cooling and energy consumption to your preference.



Refrigerant Leakage Detector

Smart detection systems identify refrigerant leaks and promptly alert you.



High Ambient Working



Hidden Display



Super Turbo



Security Lock



Follow Me



Air Direction Control



Intelligent CRF Alert



Backlit Remote



Auto Swing



MAI12SD3R35FO



MAI18SD3R35FO



MAI24SD3R34FO



MAI24SR5R34W1

	TONNAGE CATEGORY	1.0 TR	1.5 TR	2.0 TR	2.0 TR
Performance	Maximum Cooling Capacity Range (W)	4080	5400	6900	6580
	Rated Capacity - Full/Half (W) Load	3450/1725	4800/2400	6300/3150	6000/3000
	Annual Power Consumption	685.62	952.68	1249.82	920.55
	ISEER Value (W/W)	3.9	3.9	3.9	5.05
	Valve Size (Inch)	3/8" x 1/4"	1/2" x 1/4"	5/8" x 1/4"	5/8" x 1/4"



www.carriermideaIndia.com



Service Helpline: 1800 419 3333



Carrier Midea India



mideacare@carriermidea.com



www.facebook.com/mideaIndia




midea.hvac

*T&C apply. Wi-Fi is available only in 5 star variant. MAI24SR5R34W1 specifications are for RYL model.

SANTIS MEGA



Your AC. Your rules. With security lock, Santis Mega lets you have all the control. Moreover, with refrigerant leak detector and gear control, home cooling is now made simple and efficient, every day.



Hidden Display

Get a clean minimal look on your AC unit with a hidden display.



Refrigerant Leakage Detector

Smart detection systems identify refrigerant leaks and promptly alert you.



Gear Control 4-in-1

Customize both AC cooling and energy consumption to your preference.



Security Lock

Stay secure with a security lock system that limits the access of the unit as per your preference.



High Ambient Working



Auto Mode



Air Direction Control



Follow Me



Intelligent CRF Alert



Sleep Mode



Dry Mode



Auto Cleanser



Auto Swing



MAI36SM4R35F0

	TONNAGE CATEGORY	3.0 TR
Performance	Maximum Cooling Capacity Range (W)	11500
	Rated Capacity - Full/Half (W) Load	10560/5280
	Annual Power Consumption	2182.97
	ISEER Value (W/W)	3.74
	Valve Size (Inch)	5/8" x 3/8"



www.carriermideaindia.com



Service Helpline: 1800 419 3333



Carrier Midea India



mideacare@carriermidea.com



www.facebook.com/mideaindia



midea.hvac

SANTIS MAX CLS




3 STAR FIXED SPEED AC
Available in 1, 1.5 & 2 TR
Category

Advanced ACs that enhance your comfort by rapidly cooling your home and delivering quick comfort. Moreover, the AC provides real time alerts for refrigerant leaks through smart home integration.



Turbo mode

Brings down the temperature rapidly.



Hydro Blue Coating

Protects coil and fin against corrosion and increases durability.



Auto Cleanser

AC disinfects and cleans the indoor units on its own before you need to.



Intelligence CRF Alert

Notifies you to clean filters.



Auto On/Off
Timer



Backlit
Remote



Double
Drain



Security
Lock



Air Direction
Control



High Air Flow
CFM - 700*



Auto
Swing



High Ambient
50°C Working



Refrigerant Leakage
Detector



	TONNAGE CATEGORY	1.0 TR	1.5 TR	1.5 TR	2.0 TR
Performance	Rated Capacity* (W) Load	3600	5200	5200	6050
	Annual Power (kWh)	727.66	1045.04	1045.04	1215.35
	Label Period	1 st July 2022 - 31 st Dec 2025	1 st July 2022 - 31 st Dec 2025	1 st July 2022 - 31 st Dec 2025	1 st July 2022 - 31 st Dec 2025
	ISEER Value (W/W)	3.83	3.85	3.85	3.85
	Valve Size (Inch)	1/2" x 1/4"	1/2" x 1/4"	1/2" x 1/4"	5/8" x 1/4"



www.carriermideaIndia.com



Service Helpline: 1800 419 3333



Carrier Midea India



mideacare@carriermidea.com



www.facebook.com/mideaIndia




midea.hvac

MARVEL CLS




Marvel ACs deliver powerful cooling that makes every day full of joy and ease. With powerful airflow and Turbo Mode, they ensure effective cooling in every corner of the room. Bring home lasting comfort with Marvel CLS.



Powerful Airflow

Makes sure that you get strong airflow and circulation even on the warmest of days.




Sleep Mode

Automatically switches off the AC unit after 7 hours to save more energy and bring you a comfortable sleep.



Turbo Mode

With a single switch to Turbo Mode, feel the temperature go down for effective and fast cooling.



High Ambient Working

Works in high temperature up to 50°C.



Dust Filter



Auto Fan Speed



Dry Mode



Auto Swing



Auto Restart



Auto-on/off Timer



Temperature Display



MAW18MR3R35F0

	TONNAGE CATEGORY	1.5 TR
Performance	Rated Capacity* (W) Load	4800
	Nominal Power Input* (W)	1521
	Label Period	1 st July 2022 - 31 st Dec 2025
	Annual Power Consumption (kWh)	1177.42
	ISEER Value (W/W)	3.16



www.carriermideaIndia.com



Service Helpline: 1800 419 3333



Carrier Midea India



mideacare@carriermidea.com



www.facebook.com/mideaIndia




[midea.hvac](https://www.instagram.com/midea.hvac)

MARVEL CLS



Bring home the joys of comfort cooling with Santis Marvel. It's powerful cooling delivers comfort even at 50-degree Celsius. In fact, its energy saver mode helps you save on your energy bills. Make your life cooler and better with Marvel CLS.




High Ambient Working
Works in high temperature up to 50°C.



Air Direction Control



Turbo Mode




Dust Filter
High-efficient cooling and assured durability.



Dry Mode



Auto Swing



Hydro Blue Coating
Protects fin against corrosion and increases durability.



Auto Restart



Sleep Mode



Energy Saver Mode
Right temperature with lower power bills.



Auto-on/off Timer



	TONNAGE CATEGORY	1.0 TR
Performance	Rated Capacity* (W) Load	3100
	Nominal Power Input* (W)	982
	Label Period	1 st July 2022 - 31 st Dec 2025
	Annual Power Consumption (kWh)	760.17
	ISEER Value (W/W)	3.16

SPLIT AIR CONDITIONERS

	PARAMETER (UNIT)	SANTIS PRO-X RYL Wi-Fi	SANTIS PRO-X RYL Wi-Fi
GENERAL	MODEL NO.	MAI12SP5R35W0	MAI20SP5R35W0
	TONNAGE CATEGORY (TR)	1.0	1.5
	MAXIMUM CAPACITY RANGE (W)	4080	5760
	FULL LOAD CAPACITY (100% LOAD RATED) (W)	3500	5230
	HALF LOAD CAPACITY (50%) (W)	1750	2615
	FULL LOAD POWER INPUT* (100% LOAD RATED) (W)	840	1290
	HALF LOAD POWER INPUT* (50% LOAD) (W)	334	475
	ANNUAL POWER CONSUMPTION (KWH)	536.2	789.6
	LABEL PERIOD	1 ST JULY, 2022 31 ST DEC, 2025	1 ST JULY, 2022 31 ST DEC, 2025
	BEE STAR RATING***	5 STAR	5 STAR
	ISEER VALUE (W/W)	5.05	5.13
	RATED POWER SUPPLY (V-PH-HZ)	230 - 1 - 50	230 - 1 - 50
	RATED AMP	3.7	5.8
	NET WEIGHT KG (IDU/ODU)	10/26	11.5/27.1
	AIR FLOW RATE (CFM)	500	715
	INDOOR NOISE LEVEL (H/M/L) (DB)	43/41/35	45/42/38
	FAN MOTOR (INDOOR) (NO. OF SPEEDS)	5	5
	WITH CONNECTING KIT PIPE	YES	YES
	VALVE SIZE	1/2" X 1/4"	1/2" X 1/4"
	MOISTURE REMOVAL RATE (KG/HR)	1.2	2
OVERALL SIZE	INDOOR UNIT (HEIGHT) (MM)	328	328
	INDOOR UNIT (WIDTH) (MM)	870	990
	INDOOR UNIT (DEPTH) (MM)	227	227
	OUTDOOR UNIT (HEIGHT) (MM)	540	540
	OUTDOOR UNIT (WIDTH) (MM)	790	790
	OUTDOOR UNIT (DEPTH-WITH GRILL) (MM)	280	280
FILTERS	HD FILTER	NA	NA
	TOP HD FILTER (SANTIS PRO-X)	YES	YES
	PM 2.5 MICRON FILTER	YES	YES
	AG+ NANO FILTER	NA	NA
FEATURES	REFRIGERANT	R32	R32
	AIR DIRECTION CONTROL	YES	YES
	SECURITY LOCK	YES	YES
	IDU TEMP DISPLAY	HIDDEN DISPLAY	HIDDEN DISPLAY
	REMOTE CONTROL TYPE	LCD REMOTE	LCD REMOTE
	REMOTE BACKLIT	YES	YES
	AUTO OFF TIMER	YES	YES
	AUTO ON TIMER	YES	YES
	SLEEP MODE	YES	YES
	REFRIGERANT LEAKAGE DETECTOR	YES	YES
	LOUVER POSITION MEMORY	YES	YES
	DRY MODE	YES	YES
	AUTO FAN SPEED	YES	YES
	INTELLIGENT CRF ALERT	YES	YES
	AUTO SWING	YES	YES
	AUTO CLEANER	YES	YES
	FOLLOW ME	YES	YES
	AUTO MODE	YES	YES
	AUTO RESTART	YES	YES
	DOUBLE DRAIN (EASY INSTALLATION)	YES	YES
	EASY INSTALLATION - SERVICE SUPPORT BRACKET IDU	YES	YES
	GEAR (4 IN 1)	NA	NA
	GEAR (6 IN 1)	YES	YES
	INSTA COOL/SUPER TURBO	YES	YES
	WI FI 1.0	NA	NA
	WI FI 2.0 (AI+)	YES	YES
	GOOGLE ACTION (OPTIONAL)	YES	YES
	AMAZON ALEXA (OPTIONAL)	YES	YES
	MY MODE (FAVOURITE MODE)	YES	YES
	TEMP DISPLAY ON/OFF	YES	YES
	SILENT	YES	YES
	4-WAY SWING	YES	YES
	ANTI CORROSION COATING (BLUE)	EVAP- HAIR PIN IN SIDE	EVAP- HAIR PIN IN SIDE
	HIGH AMBIENT WORKING	54°C	54°C
	STABILIZER FREE OPERATION (EVEN @48°C, 135-280V)	YES	YES
	KW DISPLAY	KW DISPLAY	KW DISPLAY
	HYDROPHILIC BLUE COIL	EVAP & COND BOTH	EVAP & COND BOTH

*T&C apply.

SPLIT AIR CONDITIONERS

	PARAMETER (UNIT)	SANTIS PRO-X DLX	SANTIS PRO-X DLX	SANTIS PRO-X DLX	SANTIS MEGA
GENERAL	MODEL NO.	MAI13SP3R35FO	MAI19SP3R35FO	MAI24SP3R35FO	MAI36SM2R34FO
	TONNAGE CATEGORY (TR)	1.1	1.5	2.0	3.0
	MAXIMUM CAPACITY RANGE (W)	4180	5760	6900	11500
	FULL LOAD CAPACITY (100% LOAD RATED) (W)	3630	5050	6300	10560
	HALF LOAD CAPACITY (50%) (W)	1815	2525	3150	5280
	FULL LOAD POWER INPUT* (100% LOAD RATED) (W)	1100	1590	2000	3450
	HALF LOAD POWER INPUT* (50% LOAD) (W)	459	615	765	1350
	ANNUAL POWER CONSUMPTION (KWH)	721.14	999.69	1249.82	2182.97
	LABEL PERIOD	1 ST JULY, 2022 31 ST DEC, 2025	1 ST JULY, 2022 31 ST DEC, 2025	1 ST JULY, 2022 31 ST DEC, 2025	1 ST JULY, 2022 31 ST DEC, 2025
	BEE STAR RATING***	3 STAR	3 STAR	3 STAR	2 STAR
	ISEER VALUE (W/W)	3.9	3.91	3.9	3.74
	RATED POWER SUPPLY (V-PH-HZ)	230 - 1 - 50	230 - 1 - 50	230 - 1 - 50	230 - 1 - 50
	RATED AMP	4.7	7.0	8.8	16.7
	NET WEIGHT KG (IDU/ODU)	10/21.7	10/25.5	12.2/28	17.9/52.5
	AIR FLOW RATE (CFM)	500	580	715	1025
	INDOOR NOISE LEVEL (H/M/L) (DB)	43/41/35	44/41/35	46/44/38	56/52/50
	FAN MOTOR (INDOOR) (NO. OF SPEEDS)	5	5	5	4
	WITH CONNECTING KIT PIPE	YES	YES	YES	YES
	VALVE SIZE	3/8" X 1/4"	1/2" X 1/4"	5/8" X 1/4"	5/8" X 3/8"
OVERALL SIZE	MOISTURE REMOVAL RATE (KG/HR)	1.2	2	2.4	4.1
	INDOOR UNIT (HEIGHT) (MM)	328	328	328	362
	INDOOR UNIT (WIDTH) (MM)	870	870	990	1259
	INDOOR UNIT (DEPTH) (MM)	227	227	227	282
	OUTDOOR UNIT (HEIGHT) (MM)	540	540	540	820
	OUTDOOR UNIT (WIDTH) (MM)	790	790	790	900
FILTERS	OUTDOOR UNIT (DEPTH-WITH GRILL) (MM)	280	280	280	320
	HD FILTER (MM)	NA	NA	NA	YES
	TOP HD FILTER	YES	YES	YES	NA
	PM 2.5 MICRON FILTER	YES	YES	YES	NA
FEATURES	AG+ NANO FILTER	NA	NA	NA	NA
	REFRIGERANT	R32	R32	R32	R32
	AIR DIRECTION CONTROL	YES	YES	YES	YES
	SECURITY LOCK	YES	YES	YES	YES
	IDU TEMP DISPLAY	HIDDEN DISPLAY	HIDDEN DISPLAY	HIDDEN DISPLAY	HIDDEN DISPLAY
	REMOTE CONTROL TYPE	LCD REMOTE	LCD REMOTE	LCD REMOTE	LCD REMOTE
	REMOTE BACKLIT	YES	YES	YES	YES
	AUTO OFF TIMER	YES	YES	YES	YES
	AUTO ON TIMER	YES	YES	YES	YES
	SLEEP MODE	YES	YES	YES	YES
	REFRIGERANT LEAKAGE DETECTOR	YES	YES	YES	YES
	LOUVER POSITION MEMORY	YES	YES	YES	YES
	DRY MODE	YES	YES	YES	YES
	AUTO FAN SPEED	YES	YES	YES	YES
	INTELLIGENT CRF ALERT	YES	YES	YES	YES
	AUTO SWING	YES	YES	YES	YES
	AUTO CLEANER	YES	YES	YES	YES
	FOLLOW ME	YES	YES	YES	YES
	AUTO MODE	YES	YES	YES	YES
	AUTO RESTART	YES	YES	YES	YES
	DOUBLE DRAIN (EASY INSTALLATION)	YES	YES	YES	YES
	EASY INSTALLATION - SERVICE SUPPORT BRACKET IDU	YES	YES	YES	NA
	GEAR (4 IN 1)	NA	NA	NA	YES
	GEAR (6 IN 1)	YES	YES	YES	NA
	INSTA COOL/SUPER TURBO	YES	YES	YES	YES
	WI FI 1.0	NA	NA	NA	NA
	WI FI 2.0 (AI+)	NA	NA	NA	NA
	GOOGLE ACTION (OPTIONAL)	NA	NA	NA	NA
	AMAZON ALEXA (OPTIONAL)	NA	NA	NA	NA
	MY MODE (FAVOURITE MODE)	YES	YES	YES	YES
	TEMP DISPLAY ON/OFF	YES	YES	YES	YES
	SILENT	YES	YES	YES	NA
	4-WAY SWING	YES	YES	YES	NA
	ANTI CORROSION COATING (BLUE)	EVAP- HAIR PIN IN SIDE	EVAP- HAIR PIN IN SIDE	EVAP- HAIR PIN IN SIDE	EVAP- HAIR PIN IN SIDE
	HIGH AMBIENT WORKING	54°C	54°C	54°C	52°C
	STABILIZER FREE OPERATION (EVEN @48°C, 135-280V)	YES	YES	YES	YES
	KW DISPLAY	KW DISPLAY	KW DISPLAY	KW DISPLAY	NA
	HYDROPHILIC BLUE COIL	EVAP & COND BOTH	EVAP & COND BOTH	EVAP & COND BOTH	ONLY EVAP

*T&C apply.

SPLIT AIR CONDITIONERS

	PARAMETER (UNIT)	SANTIS NEO DLX	SANTIS NEO DLX	SANTIS NEO DLX	SANTIS NEO RYL
GENERAL	MODEL NO.	MAI12SD3R35F0	MAI18SD3R35F0	MAI24SD3R34F0	MAI24SR5R34W1
	TONNAGE CATEGORY (TR)	1.0	1.5	2.0	2.0
	MAXIMUM CAPACITY RANGE (W)	4080	5400	6900	6580
	FULL LOAD CAPACITY (100% LOAD RATED) (W)	3450	4800	6300	6000
	HALF LOAD CAPACITY (50%) (W)	1725	2400	3150	3000
	FULL LOAD POWER INPUT* (100% LOAD RATED) (W)	1050	1560	2000	1500
	HALF LOAD POWER INPUT* (50% LOAD) (W)	435	572	765	555
	ANNUAL POWER CONSUMPTION (KWH)	685,62	952,68	1249,82	920,55
	LABEL PERIOD	1 ST JULY, 2022 31 ST DEC, 2025	1 ST JULY, 2022 31 ST DEC, 2025	1 ST JULY, 2022 31 ST DEC, 2025	1 ST JULY, 2022 31 ST DEC, 2025
	BEE STAR RATING***	3 STAR	3 STAR	3 STAR	5 STAR
	ISEER VALUE (W/W)	3.9	3.9	3.9	5.05
	RATED POWER SUPPLY (V-PH-HZ)	230 - 1 - 50	230 - 1 - 50	230 - 1 - 50	230 - 1 - 50
	RATED AMP	4.6	6.9	8.8	6.6
	NET WEIGHT KG (IDU/ODU)	8.3/21.7	10.1/25.5	12.5/28	12.5/38.5
	AIR FLOW RATE (CFM)	380	580	700	700
	INDOOR NOISE LEVEL (H/M/L) (DB)	40/38/32	42/40/37	46/44/39	46/44/38
	FAN MOTOR (INDOOR) (NO. OF SPEEDS)	4	4	4	4
OVERALL SIZE	WITH CONNECTING KIT PIPE	YES	YES	YES	YES
	VALVE SIZE	3/8" X 1/4"	1/2" X 1/4"	5/8" X 1/4"	5/8" X 1/4"
	MOISTURE REMOVAL RATE (KG/HR)	1.2	2.0	2.4	2.4
	INDOOR UNIT (HEIGHT) (MM)	275	275	315	315
	INDOOR UNIT (WIDTH) (MM)	800	940	1045	1045
	INDOOR UNIT (DEPTH) (MM)	188	205	235	235
FILTERS	OUTDOOR UNIT (HEIGHT) (MM)	540	540	540	700
	OUTDOOR UNIT (WIDTH) (MM)	790	790	790	845
	OUTDOOR UNIT (DEPTH-WITH GRILL) (MM)	280	280	280	310
	HD FILTER	YES	YES	YES	YES
FEATURES	TOP HD FILTER (SANTIS PRO-X)	NA	NA	NA	NA
	PM 2.5 MICRON FILTER	YES	YES	YES	YES
	AG+ NANO FILTER	NA	NA	NA	NA
	REFRIGERANT	R32	R32	R32	R32
	AIR DIRECTION CONTROL	YES	YES	YES	YES
	SECURITY LOCK	YES	YES	YES	YES
	IDU TEMP DISPLAY	HIDDEN DISPLAY	HIDDEN DISPLAY	HIDDEN DISPLAY	HIDDEN DISPLAY
	REMOTE CONTROL TYPE	LCD REMOTE	LCD REMOTE	LCD REMOTE	LCD REMOTE
	REMOTE BACKLIT	YES	YES	YES	YES
	AUTO OFF TIMER	YES	YES	YES	YES
	AUTO ON TIMER	YES	YES	YES	YES
	SLEEP MODE	YES	YES	YES	YES
	REFRIGERANT LEAKAGE DETECTOR	YES	YES	YES	YES
	LOUVER POSITION MEMORY	YES	YES	YES	YES
	DRY MODE	YES	YES	YES	YES
	AUTO FAN SPEED	YES	YES	YES	YES
	INTELLIGENT CRF ALERT	YES	YES	YES	YES
	AUTO SWING	YES	YES	YES	YES
	AUTO CLEANER	YES	YES	YES	YES
	FOLLOW ME	YES	YES	YES	YES
	AUTO MODE	YES	YES	YES	YES
	AUTO RESTART	YES	YES	YES	YES
	DOUBLE DRAIN (EASY INSTALLATION)	YES	YES	YES	YES
	GEAR (4 IN 1)	YES	YES	YES	YES
	INSTA COOL/SUPER TURBO	YES	YES	YES	YES
	WI FI 1.0	NA	NA	NA	YES
	GOOGLE ACTION (OPTIONAL)	NA	NA	NA	YES
	AMAZON ALEXA (OPTIONAL)	NA	NA	NA	YES
	MY MODE (FAVOURITE MODE)	YES	YES	YES	YES
	TEMP DISPLAY ON/OFF	YES	YES	YES	YES
	ANTI CORROSION COATING (BLUE)	EVAP- HAIR PIN IN SIDE	EVAP- HAIR PIN IN SIDE	EVAP- HAIR PIN IN SIDE	EVAP- HAIR PIN IN SIDE
	HIGH AMBIENT WORKING	52°C	52°C	52°C	52°C
	STABILIZER FREE OPERATION (EVEN @48°C, 135-280V)	YES	YES	YES	YES
	KW DISPLAY	NA	NA	NA	NA
	HYDROPHILIC BLUE COIL	ONLY EVAP	ONLY EVAP	ONLY EVAP	ONLY EVAP

SPLIT AIR CONDITIONERS

	PARAMETER (UNIT)	SANTIS MAX CLS	SANTIS MAX CLS	SANTIS MAX CLS	SANTIS MAX CLS
GENERAL	MODEL NO.	MAS13SM3R35FO	MAS19SM3R35FO	MAS19SM3R35F1	MAS24SM3R35FO
	TONNAGE CATEGORY (TR)	1.0	1.5	1.5	2.0
	RATED CAPACITY* (W)	3600	5200	5200	6050
	NOMINAL COOLING/HEATING POWER INPUT* (W)	940	1350	1350	1570
	ANNUAL POWER CONSUMPTION (KWH)	727.66	1045.04	1045.04	1215.35
	LABEL PERIOD	1 ST JULY, 2022 31 ST DEC, 2025	1 ST JULY, 2022 31 ST DEC, 2025	1 ST JULY, 2022 31 ST DEC, 2025	1 ST JULY, 2022 31 ST DEC, 2025
	BEE STAR RATING***	3 STAR	3 STAR	3 STAR	3 STAR
	ISEER VALUE (W/W)	3.83	3.85	3.85	3.85
	RATED POWER SUPPLY (V-PH-HZ)	230 - 1 - 50	230 - 1 - 50	230 - 1 - 50	230 - 1 - 50
	RATED AMP	4.1	5.9	5.9	6.9
	NET WEIGHT KG (IDU/ODU)	8.3/28	11.5/33.5	11.5/33.5	12.5/43.6
	AIR FLOW RATE (CFM)	400	700	700	700
	INDOOR NOISE LEVEL (H/M/L) (DB)	40/38/32	44/42/38	44/42/38	46/44/40
	FAN MOTOR (INDOOR) (NO. OF SPEEDS)	4	4	4	4
	WITH CONNECTING KIT PIPE	YES	YES	YES	YES
	VALVE SIZE	1/2" X 1/4"	1/2" X 1/4"	1/2" X 1/4"	5/8" X 1/4"
OVERALL SIZE	INDOOR UNIT (HEIGHT) (MM)	275	324	324	315
	INDOOR UNIT (WIDTH) (MM)	800	965	965	1045
	INDOOR UNIT (DEPTH) (MM)	188	234	234	235
	OUTDOOR UNIT (HEIGHT) (MM)	540	540	540	700
	OUTDOOR UNIT (WIDTH) (MM)	790	790	790	845
	OUTDOOR UNIT (DEPTH-WITH GRILL) (MM)	270	270	270	310
FILTERS	HD FILTER	YES	YES	YES	YES
	PM 2.5 MICRON FILTER (3M BRAND)	NA	NA	NA	NA
	PM 2.5 MICRON FILTER	YES	YES	YES	YES
	AG+ NANO FILTER	NA	NA	NA	NA
FEATURES	HYBRIDJET GRILL	NA	NA	NA	NA
	REFRIGERANT	R32	R32	R32	R32
	AIR DIRECTION CONTROL	YES	YES	YES	YES
	SECURITY LOCK	YES	YES	YES	YES
	IDU TEMP DISPLAY	HIDDEN DISPLAY	HIDDEN DISPLAY	HIDDEN DISPLAY	HIDDEN DISPLAY
	REMOTE CONTROL TYPE	LCD REMOTE	LCD REMOTE	LCD REMOTE	LCD REMOTE
	REMOTE BACKLIT	YES	YES	YES	YES
	AUTO OFF TIMER	YES	YES	YES	YES
	AUTO ON TIMER	YES	YES	YES	YES
	ECONOMIC SLEEP MODE	YES	YES	YES	YES
	REFRIGERANT LEAKAGE DETECTOR	YES	YES	YES	YES
	LOUVER POSITION MEMORY	YES	YES	YES	YES
	DRY MODE	YES	YES	YES	YES
	AUTO FAN SPEED	YES	YES	YES	YES
	INTELLIGENT CRF ALERT	YES	YES	YES	YES
	AUTO SWING	YES	YES	YES	YES
	AUTO CLEANSER (SELF CLEAN)	YES	YES	YES	YES
	FOLLOW ME	NA	NA	NA	NA
	AUTO MODE	YES	YES	YES	YES
	AUTO RESTART	YES	YES	YES	YES
	TURBO MODE	YES	YES	YES	YES
	DOUBLE DRAIN (EASY INSTALLATION)	YES	YES	YES	YES
	MANUAL ON/OFF BUTTON	YES	YES	YES	YES
	MY MODE (FAVOURITE MODE)	NA	NA	NA	NA
	HIGH AMBIENT WORKING (AT 230V RATED)	52°C	52°C	52°C	52°C
	IDU DISPLAY ON/OFF	YES	YES	YES	YES
	SUMMER CHILL	NA	NA	NA	NA
	SILENT	NA	NA	NA	NA
	4-WAY SWING	NA	NA	NA	NA
	ANTI CORROSION COATING (BLUE)	EVAP-HAIR PIN IN SIDE	EVAP-HAIR PIN IN SIDE	EVAP-HAIR PIN IN SIDE	EVAP-HAIR PIN IN SIDE

WINDOW AIR CONDITIONERS

	PARAMETER (UNIT)	MARVEL CLS	MARVEL CLS
GENERAL	MODEL NO.	MAW18MR3R35FO	MAW12MR3R35FO
	TONNAGE CATEGORY (TR)	1.5	1.0
	LABEL PERIOD	1 ST JULY, 2022 31 ST DEC, 2025	1 ST JULY, 2022 31 ST DEC, 2025
	BEE STAR RATING***	3 STAR	3 STAR
	RATED CAPACITY* (W)	4800	3100
	NOMINAL POWER INPUT* (W)	1521	982
	ANNUAL POWER CONSUMPTION (KWH)	1177.42	760.17
	ISEER VALUE (W/W)	3.16	3.16
	RATED POWER SUPPLY (V-PH-HZ)	230 - 1 - 50	230 - 1 - 50
	NET WEIGHT (KG)	54	42
PHYSICAL ASPECTS	OVERALL HEIGHT (MM)	430	375
	OVERALL WIDTH (MM)	660	560
	OVERALL DEPTH (MM)	660	578
	AIR FLOW RATE (CFM)	470	300
	NOISE LEVEL (H/L) (DB) (A)	54/52	48/46
	FAN MOTOR (NO. OF SPEEDS)	2	2
FILTERS	ELECTROSTATIC FILTER	NA	NA
	ZEOLITE FILTER	NA	NA
	CHARCOAL / ACTIVE CARBON FILTER	NA	NA
	VITAMIN C FILTER	NA	NA
	DUST FILTER	YES	YES
FEATURES	AIR DIRECTION	2 WAY	2 WAY
	CONTROL TYPE	NON LCD REMOTE	NON LCD REMOTE
	TEMPERATURE DISPLAY - ON PANEL	YES	YES
	AUTO OFF TIMER	YES	YES
	AUTO ON TIMER	YES	YES
	SLEEP MODE	YES	YES
	DRY MODE	YES	YES
	TURBO MODE	YES	YES
	AUTO FAN SPEED	YES	YES
	ENERGY SAVER MODE	YES	YES
	EXHAUST COMMAND	NA	NA
	SMART TIME GUARD	NA	NA
	AUTO SWING	YES	YES
	AUTO RESTART	YES	YES
	HIGH AMBIENT WORKING (AT 230V RATED)	50°C	50°C
	REFRIGERANT	R32	R32
	ANTI CORROSION COATING (BLUE)	EVAP-HAIR PIN IN SIDE	EVAP-HAIR PIN IN SIDE

REASONS TO BUY MIDEA ROOM AIR CONDITIONERS



Auto Fan
Speed



Intelligent
CRF Alert



Air Direction
Control



Hidden
Display



Sleep
Mode



Backlit
Remote



Auto
Swing



Follow
Me



Security
Lock



Auto
Restart




Dry
Mode



Auto-on/off
Timer



Auto
Mode



High Ambient
Working



Refrigerant
Leakage Detector



Gear Control
4-in-1



Blue Fin
Coating



Top Filter-Easy
Clean



3D
Cooling



Super
Turbo



Auto
Cleanser

* Terms and Conditions apply. Product specifications, features, and offers are subject to change without prior notice.

** The features may vary depending upon the models.



All 2025 models are Wi-Fi ready. For updates, please contact our customer care team at 1800 419 3333.



Carrier Midea India Pvt. Ltd.

1st Floor, Pearl Tower, Plot No. 51, Institutional Area, Sector 32, Gurgaon-122001
Haryana. Ph: 0124 6144300



Carrier Midea India Pvt. Ltd.

Factory Address: Plot No. A-5, Supa Partner Industrial Area, Supa, Ahmednagar - 414301

Scan to access CMI
WhatsApp Bot



www.carriermideaindia.com



Service Helpline: 1800 419 3333



Carrier Midea India



mideacare@carriermidea.com



www.facebook.com/mideaindia



[midea.hvac](https://www.instagram.com/midea.hvac)

Images shown are for reference only, actual product may vary. For private circulation only. Meant for reference purpose.

Disclaimer: As a continuing policy of product innovation at Midea, the design and specifications are subject to change without prior notice. The visuals of the products in the brochure are representative only, actual products might differ from the ones shown. 'Products mentioned in this brochure comply with RoHS regulations as per E-waste (Management & Handling) Rules, 2011 and should not be mixed with general household waste at the end of their useful life'. For more details kindly visit our website: www.carriermideaindia.com or contact Midea care: 1800 419 3333